CITIZEN.

INSTRUCTION MANUAL



ENGLISH FRANÇAIS ESPAÑOL DEUTSCH ITALIANO

PORTUGUÊS 中文(繁体字) 中文(簡体字) Thank you for your purchase of this Citizen watch.


Before using the watch, read this instruction manual carefully to ensure correct use. After reading the manual, store it in a safe place for future reference.

Visit the Citizen web site (http://www.citizenwatch-global.com/) to view visual guides for operation of your watch. Some models may be equipped with external features (calculation scale, tachymeter, etc.). Visual guides for operation of such external features can also be found on the web site

To check the movement number

A case number—4 alphanumeric characters and 6 or more alphanumeric characters—is engraved on the case back. (Figure on the right)
The first 4 characters of the case number represent the movement number of the watch. In the example on the right, "△△△△" is the movement number.

Engraving position example



The engraving position may differ depending on watch model.

Safety precautions — IMPORTANT

This manual contains instructions that should be strictly followed at all times not only for optimal use, but to prevent any injuries to yourself, other persons or property. We encourage you to read the entire booklet (especially, pages 20 to 33) and understand the meaning of the following symbols:

Safety advisories are categorized and depicted in this manual as follows:

⚠ DANGER Highly likely to cause death or serious injury		
⚠ WARNING Can cause serious injury or death		
ACAUTION Can or will cause minor or moderate injury or damage		

Important instructions are categorized and depicted in this manual as follows:

<u> </u>	Warning (caution) symbol followed by instructions that should be followed or precautions that should be observed.
\Diamond	Warning (caution) symbol followed by prohibited matters.

Before using this watch

After unpacking, the following must be done before using the watch:

• Checking whether the second hand moves normally
When the second hand moves once every two seconds, charge your watch. (See page 10)



This watch has a rechargeable cell which is charged by exposing the dial to light.

Expose the dial to direct sunlight regularly to charge the watch.

For details of charging, see pages 10 to 13.

Before using this watch

Band adjustment

We recommend seeking the assistance of an experienced watch technician for sizing of your watch. If adjustment is not done correctly, the bracelet may unexpectedly become detached leading to loss of your watch or injury. Consult your nearest authorized Citizen service center.

Protective stickers

Be sure to remove any protective stickers that may be on your watch (case back, band, clasp, etc.).Otherwise, perspiration or moisture may enter the gaps between the protective stickers and the parts, which may result in a skin rash and/or corrosion of the metal parts.

How to use a specially designed crown/button


Some models are equipped with a specially designed crown and/or push button to prevent accidental operation.

Screw down crown/button

Unlock the crown/button prior to operate your watch.

	Unlock	Lock
Screw down crown	Rotate the crown counterclockwise until it releases from the case.	Push the crown in to the case. With gentle pressure towards the case, rotate the crown clockwise to secure it to the case. Be sure to tighten firmly.
Screw down push button	Rotate the locking screw counterclockwise, and loosen until it stops.	Rotate the locking screw clockwise, and tighten firmly.

Recessed buttons



Press the button with a non-marring narrow-tipped object such as a wooden toothpick.

 Metal objects may cause marring or scratching of the button.

Table of contents


Component identification	8
Charging your watch	10
Adjusting the time	14
Adjusting the date	16
Troubleshooting	19
Eco-Drive watch handling precautions	20
Water resistance	24

Precautionary items and usage limitations	27
Specifications	34

Component identification

Model with date/24-hour indicator


Equipped with a date hand at the 12 o'clock position, and a 24-hour hand at the 6 o'clock position.



Movement number: 8723

Model with date/day indicator

Equipped with a date hand at the 3 o'clock position, and a day hand at the 9 o'clock position.



Model with date/day/24-hour indicator

Equipped with a date hand at the 3 o'clock position, a 24-hour hand at the 6 o'clock position, and a day hand at the 9 o'clock position.



- (1) Hour hand
- 2 Minute hand
- ③ Second hand
 ④ Crown
- (5) Day hand
- 6 Date hand
- ② 24-hour hand
- The illustrations in this instruction manual may differ from the actual appearance of your watch.

Charging your watch

This watch has a rechargeable cell which is charged by exposing the dial to light, such as direct sunlight or fluorescent lamps.

After taking off the watch, put it in a location where the dial is exposed to bright light, such as by a window.

For optimal performance, be sure to:

- Expose the watch to direct sunlight for five or six hours at least once a month.
- Avoid leaving the watch in dark places for long periods of time.



Caution

- Do not charge the watch at high temperature (about 60°C/140°F or higher).
- If the watch is obscured from light by long sleeves frequently, supplemental charging may be needed to ensure continual operation.

When the watch reaches a low charge state (insufficient charge warning function)

When the power reserve becomes low, the second hand moves once every two seconds. This is the insufficient charge warning function. Be sure to fully charge your watch.

- When the watch is sufficiently charged, the second hand will move normally.
- If you do not charge the watch for four days or longer after the insufficient charge warning movement has begun, the watch will be depleted of all power and stop.



Caution

 Even when the second hand moves once every two seconds, the current time and date are indicated.

Charging your watch

Charging time by environment

Below are the approximate times required for charging when exposing the watch dial to light continuously. Please use this table as a reference only.

		Charging time (approx.)			
Environment Illumina (lx)		To work for one day	To start working normally when the cell is discharged	To become fully charged when the cell is discharged	
Outdoors (sunny)	100,000	19 minutes	7.5 hours	90 hours	
Outdoors (cloudy)	10,000	35 minutes	15 hours	180 hours	
20 cm away from a fluorescent lamp (30 W)	3,000	1.5 hours	30 hours	320 hours	
Interior lighting	500	5 hours	160 hours	_	

To charge your watch, it is recommended to expose the dial to direct sunlight.
 A fluorescent lamp or interior lighting does not have sufficient illumination to charge the rechargeable cell efficiently.

Run time

From fully charged without extra charging: 6 months (at normal use)

About Ouick Start function

The watch works immediately when the charging starts, even though all the hands are stopped for lack of the power.

- · Be sure to keep your watch fully charged when utilizing this feature.
- Adjust the time and calendar after fully charged. See page 14.

Adjusting the time



Pull the crown out to position when the second hand points to 0 second.
All the hands stop.



Model with date/ day indicator



Model with date/ day/24-hour indicator

2 Rotate the crown to adjust the day. (only for models with a day indicator)

- As the day hand moves in conjunction with the hour/minute hand, adjust the day first and then adjust the time.
- The day hand can only be moved by rotating the clown clockwise. You cannot adjust the day hand independently.

3 Rotate the crown to adjust the time.

- Pay attention the date hand to ensure AM or PM time is set properly.
- For models with a 24-hour indicator, check the 24-hour hand to ensure AM or PM time is set properly.



4 Push the crown in to position in accordance with a reliable time source to finish the procedure.

- The date indicator begins to change at about 22:30 and has finished changing by about 0:00.
- The day indicator begins to change at about from 0:00 and has finished changing by about 5:00 (only for models with a day indicator).
- * Both hands can only be moved by rotating the crown clockwise.

Adjusting the date

Adjust the date indication on the first days of March, May, July, October and December.

 When the time on the watch is between 21:00 and 0:00, do not execute the adjustment. Otherwise the date indication may change improperly.



1 Pull the crown out to position 1.

Model with date/24-hour indicator



2 Rotate the crown counterclockwise to adjust the date.

Model with date/day indicator



Model with date/day/24-hour indicator



Adjusting the date



Push the crown in to position to finish the procedure.

Page

Troubleshooting

Symptoms

If you have a problem with your watch, check the table below.

	Movement of a hand seems strange		
ı	The second hand moves once every two seconds.	Fully charge the watch.	10 to 13
	The second hand does	Push the crown in to position ① .	15
ı	not move.	Fully charge the watch	10 to 13

Remedies

The date indicator or day indicator is incorrect

	Adjust the date.	16 to 18
The date indicator is	Check that AM or PM time is set properly.	15
incorrect.	Check that the time is not during the date changing period (from 21:00 to 0:00).	16
The day indicator is incorrect.	Adjust the day.	14

Eco-Drive watch handling precautions

- <Always Make Sure to Recharge Frequently>
- For optimal performance, your watch should remain fully charged.
- Long sleeves may inhibit light transmission to your watch.
 This may result in your watch loosing charge. In these cases supplemental charging may be necessary.
- When you take off the watch, place it in a bright location to ensure optimal performance.

↑ CAUTION Recharging Precautions

 Do not charge the watch at a high temperature (about 60°C/140°F or higher) as doing so may cause the movement to malfunction

Examples:

- Charging the watch too close to a light source which generates a large amount of heat such as an incandescent lamp or halogen lamp.
 - * When charging under an incandescent lamp, be sure to leave 50 cm (20 inches) or more between the lamp and the watch to avoid exposing the watch to excessive heat.
- Charging the watch in a location where the temperature may become extremely high such as on the dashboard of a vehicle.



Eco-Drive watch handling precautions

<Replacement of Rechargeable Cell>

This watch utilizes a special rechargeable cell that does not require periodical replacement.
However power consumption may increase after using the watch for a number of years due
to wear of internal components and deterioration of oils. This may cause stored power to be
depleted at a faster rate. For optimal performance, we recommend having your watch inspected
every 2-3 years for proper operation and condition check.

MARNING Handling of Rechargeable Cell

- The rechargeable cell should never be removed from the watch.
 - If for any reason it becomes necessary to remove the rechargeable cell from the watch, keep out of the reach of children to prevent accidental swallowing.
- If the rechargeable cell is accidentally swallowed, consult a doctor immediately.
- Do not dispose of the rechargeable cell with ordinary garbage. Please follow the instructions of your municipality regarding collection of batteries to prevent the risk of fire or environmental contamination

MARNING Use Only the Specified Battery

Never use a battery other than the rechargeable cell specified for use in this watch.
Although the watch structure is designed so that it will not operate when another type of
battery is installed, if a conventional watch battery or other type of battery is installed in the
watch and the watch is recharged, there is the risk of overcharging which may cause the battery
to rupture.

This can cause damage to the watch and injury to the wearer.

When replacing the rechargeable cell, always make sure to use the designated rechargeable cell.

Water resistance

MARNING Water Resistance

- Refer to the watch dial and/or the case back for the indication of the water resistance of your
 watch. The following chart provides examples of use for reference to ensure that your watch is
 used properly. (The unit "1 bar" is roughly equal to 1 atmosphere.)
- WATER RESIST(ANT) ××bar may also be indicated as W.R. ×× bar.

Name	Indication Dial or Case back	Specification
Non-water resistant	_	Non-water resistant
Everyday-use water resistant watch	WATER RESIST	Water resistant to 3 atmospheres
Upgraded everyday use	W.R. 5 bar	Water resistant to 5 atmospheres
water resistant watch	W.R. 10/20 bar	Water resistant to 10 or 20 atmospheres

Water-related use











Minor exposure to



Skin diving, marine Scuba diving using Operate the crown

the

water (washing face, rain, etc.)	general washing work	sports	an air tank	or button when the watch is wet
NO	NO	NO	NO	NO
ок	NO	NO	NO	NO
ок	ок	NO	NO	NO
ок	ок	ОК	NO	NO

Water resistance

- Non-water resistant models are not designed to come into contact with any moisture. Take care
 not to expose a watch with this rating to any type of moisture.
- Water resistance for daily use (to 3 atmospheres) means the watch is water resistant for occasional accidental splashing.
- Upgraded water resistance for daily use (to 5 atmospheres) means that the watch may be worn
 while swimming, but is not to worn while skin diving.
- Upgraded water resistance for daily use (to 10/20 atmospheres) means that the watch may be worn while skin diving, but not while scuba or saturated diving using helium gas.

CAUTION To Avoid Injury

- Be particularly careful when wearing your watch while holding a small child, to avoid injury.
- Be particularly careful when engaged in strenuous exercise or work, to avoid injury to yourself and others.
- Do not wear your watch while in a sauna or other location where your watch may become
 excessively hot, since there is the risk of burns.
- Be careful when putting on and taking off your watch, since there is a risk of damaging your fingernails, depending on the manner in which the band is fastened.
- · Take off your watch before going to bed.

CAUTION Precautions

- Always use the watch with the crown pushed in (normal position). If the crown is of the screw lock-type, make sure it is securely locked.
- Do not operate the crown or any push buttons when the watch is wet. Water may enter the
 watch causing damage to vital components.
- If water enters the watch or the watch fogs up and does not clear up even after a long time, consult your dealer or Customer Support Center for inspection and/or repair.
- Even if your watch has a high level of water resistance, please be careful of the following.
- If your watch is immersed in sea water, rinse thoroughly with fresh water and wipe with a dry cloth.
 - · Do not pour water from a tap directly onto your watch.
 - · Take off your watch before taking a bath.
- If seawater enters the watch, place the watch in a box or plastic bag and immediately take it in for repair. Otherwise, pressure inside the watch will increase, and parts (crystal, crown, push button, etc.) may come off.

CAUTION When Wearing Your Watch

<Band>

- Leather bands and rubber (urethane) bands will deteriorate over time due to perspiration dirt.
 Because of the natural materials, leather band will be worn, deformed, and discolored over time. It is recommended to replace the band periodically.
- The durability of a leather band may be affected when wet (fading, peeling of adhesive), owing to the properties of the material. Moreover, wet leather may cause a rash.
- Do not stain a leather band with substances containing volatile materials, bleach, alcohol (including cosmetics). Discoloration and premature aging may be occurred. Ultraviolet light such as direct sunlight may cause discoloration or deformation.
- It is recommended to take off the watch if it gets wet, even if the watch itself is water resistant.
- Do not wear the band too tightly. Try to leave enough space between the band and your skin to allow adequate ventilation.
- The rubber (urethane) band may be stained by dyes or soil present in or on clothing or other
 accessories. Since these stains may not be removable, caution is required when wearing your
 watch with items that tend to easily transfer color (articles of clothing, purses, etc.). In addition,
 the band may be deteriorated by solvents or moisture in the air. Replace with a new one when it
 has lost elasticity or become cracked.

CAUTION When Wearing Your Watch (continued)

- Please request adjustment or repair of the band in the following cases:
 - You notice an abnormality with the band due to corrosion.
- The pin of the band is protruding.
- We recommend seeking the assistance of an experienced watch technician for sizing of your watch. If adjustment is not done correctly, the bracelet may unexpectedly become detached leading to loss of your watch or injury.

Consult your nearest authorized Citizen service center.

<Temperature>

 The watch may stop or the function of the watch may be impaired in extremely high or low temperature. Do not use the watch in places where the temperature is outside the operating temperature range as stated in the specifications.

<Magnetism>

 Analog quartz watches are powered by a step motor that uses a magnet. Subjecting the watch to strong magnetism from the outside can cause the motor to operate improperly and prevent the watch from keeping time accurately.

Do not allow the watch to come into close proximity to magnetic health devices (magnetic necklaces, magnetic elastic bands, etc.) or the magnets used in the latches of refrigerator doors, clasps used in handbags, the speaker of a cell phone, electromagnetic cooking devices and so on.

<Strong Shock>

 Avoid dropping the watch or subjecting it to other strong impact. It may cause malfunctions and/or performance deterioration as well as damage to the case and bracelet.

<Static Electricity>

The integrated circuits (IC) used in quartz watches are sensitive to static electricity. Please note
the watch may operate erratically or not at all if exposed to intense static electricity.

<Chemicals, Corrosive Gasses and Mercury>

 If paint thinner, benzene or other solvents or products containing these solvents (including gasoline, nail-polish remover, cresol, bathroom cleaners and adhesives, water repellent, etc.) are allowed to come into contact with the watch, they may discolor, dissolve or crack the materials. Be careful when handling these chemicals. Contact with mercury such as that used in thermometers may also cause discoloration of the band and case.

<Protective Stickers>

 Be sure to remove any protective stickers that may be on your watch (case back, band, clasp, etc.). Otherwise, perspiration or moisture may enter the gaps between the protective stickers and the parts, which may result in a skin rash and/or corrosion of the metal parts.

CAUTION Always Keep Your Watch Clean

- Rotate the crown while it is pressed in fully and press the buttons periodically so they do not become stuck due to accumulations of foreign matter.
- The case and band of the watch come into direct contact with the skin. Corrosion of the metal
 or accumulated foreign matter may result in black residue coming from the bracelet when
 exposed to moisture or perspiration. Be sure to keep your watch clean at all times.
- Be sure to periodically clean the bracelet and case of your watch to remove accumulated dirt and foreign matter. In rare circumstances, accumulated dirt, foreign matter may cause irritation with the skin. If you notice this, discontinue wearing the watch and consult your physician.
- Be sure to periodically clean foreign matter and accumulated materials from the metal band, synthetic rubber strap (polyurethane) and/or metal case using a soft brush and mild soap. Be careful not to allow moisture on the case if your watch is not water resistant.
- Leather bands may become discolored by perspiration or dirt. Always keep your leather band clean by wiping with a dry cloth.

Caring for Your Watch

- · Wipe any dirt or moisture such as perspiration from the case and crystal with a soft cloth.
- For metallic, plastic or synthetic rubber (polyurethane) band, clean it with soap and a soft toothbrush. Be sure to thoroughly rinse the band after cleaning to remove any soap residue.
- . For a leather band, wipe off dirt using a dry cloth.
- If you will not be using your watch for an extended period of time, carefully wipe off any
 perspiration, dirt or moisture and store in a proper location, avoiding locations subject to
 excessively high or low temperatures and high humidity.

<When Luminous Paint is used for your watch>

The paint on the dial and hands helps you with reading the time in a dark place. The luminous paint stores light (daylight or artificial light) and glows in a dark place.

It is free from any radioactive substance or any other material harmful to a human body or environment.


- · The light emission will appear bright at first and then diminish as time passes.
- The duration of the light ("glow") will vary depending on the brightness, types of and distance from a light source, exposure time, and the amount of the paint.
- · The paint may not glow and/or may dissipate quickly if exposure to light was not sufficient.

Specifications

Model	8723/8725/8729	Туре	Analog solar-powered watch
Timekeeping accuracy (without reception)	Within ±15 seconds per month when worn at normal operation temperatures (between +5°C/41°F and +35°C/95°F)		
Operating temperature range	-10°C/14°F to +60°C/140°F		
Display functions	Time: Hours, minutes, seconds, 24-hour (24-hour indicator: 8723/8729 only) Calendar: Date, day (Day indicator: 8725/8729 only)		
Maximum run time from full charge	Fully charged to fully discharged: Approximately 6 months Power reserve upon insufficient charge warning function: Approximately 4 days		
Battery	Rechargeable cell (lithium button cell), 1 pc.		

Additional functions	Solar power function Calendar function Overcharging prevention function Insufficient charge warning function (two-second interval movement) Quick Start function
----------------------	--

Specifications and contents of this booklet are subject to change without prior notice.



Model No.BU2 * · BU3 * · BU4 * FD2 * · FD3 * · FD4 * Cal.8723 · 8725 · 8729 CTZ-B8179